

Protection with Comfort

3M™ Protective Coverall 4520

Entry level protection with comfort

- Breathable material to help reduce heat build-up and promote comfortable wear, while helping provide basic protection against certain light liquid splashes and hazardous dusts
- Elasticized waist, ankles and wrists for convenience and freedom of movement
- Three panel hood design for compatibility with complementary PPE
- Two-way zipper with storm flap for convenience and to help provide additional protection
- Anti-static coating on both sides

*Consult class results in Technical Data Sheet or User Instructions for more information

Typical Applications*


- Woodworking
- Light-duty Building Cleaning
- Insulation Installation
- Coal Dust in Power Plants



Three Piece Hood Design










Breathable SMMMS Polypropylene



Which 3M™ Protective Coverall is Right for You?



Aspect	Standard	4510	4520	4530	4540+	4565
Protective Clothing	EN 340/ ANSI 103	•	•	•	•	•
 Type 6 Splash	EN 13034/ (EN ISO 17491-4)	•	•	•	•	•
 Type 5 Dust	EN ISO 13982-1	•	•	•	•	•
 Type 4 Spray	EN 14605/ (EN ISO 17491-4)					•
 Biohazard ¹	EN 14126/ ASTM F 1670					•
 Anti-Static ¹	EN 1149 ²	•	•	•	•	•
 Nuclear	EN 1073-2	•	•		•	•
 Flame Resistance	EN 533 ³ Index 1			• ⁴		

¹Consult class results in Technical Data Sheet or User Instructions for more information

²All apparel must be grounded for anti-static treatment to be effective

³Must be worn over EN533 Index 2 or 3 garments and not worn next to skin when flame resistance is needed

⁴Cuffs are not flame resistant

A broad range of integrated, science-based products... proven, ongoing dedication to occupational safety... that's the 3M difference. We'll continue to lead the way with advanced solutions to help protect workers – with a commitment that extends from head-to-toe!



Application*	4510	4520	4530	4540+	4565
Asbestos Handling and Stripping					•
Asbestos Inspection	•			•	•
Coal Dust in Power Plants	•	•	•	•	
Food Processing	•	•	•	•	
General Industrial Clean-up and Processing	•	•	•	•	•
General Powder Handling	•	•	•	•	
Health Care					•
Insulation Installation	•	•	•	•	
Light-duty Building Cleaning	•	•	•	•	
Machine or Vehicle Maintenance	•	•	•	•	
Metal Grinding			•		
Metal Polishing	•	•	•	•	•
Paint Spraying	•			•	•
Paint Spraying (Isocyanates)					•
Pharmaceutical	•			•	•
Powder Handling (water reactive)					•
Tank Cleaning and Maintenance					•
Welding (worn over an EN 533 Index 2 or 3 garment)			•		
Woodworking	•	•	•	•	

*Contact 3M Technical Services for specific chemical permeation, penetration, repellency data, and biological data.