According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Version 16.0	Revision Date: 07/09/2024	SDS Number: 800001016180	Print Date: 07/10/2024 Date of last issue: 03/15/2021
SECTION	I 1. IDENTIFICATION		
Prod	uct name	: AeroShell Gre	ease 7
Prod	uct code	: 001A0065	
Man	ufacturer or supplier's	s details	
	ufacturer/Supplier	: Shell Oil Pro PO Box 4427 Houston TX USA	77210-4427
	Request omer Service	: (+1) 877-276 :	-7285
Spill	rgency telephone nun Information th Information	n ber : 877-242-7400 : 877-504-935 ⁻	
	ommended use of the ommended use	: Synthetic gre	ictions on use ase for aircraft., For further details consult the ok on www.shell.com/aviation.
Rest	rictions on use	ance with the manuals, bull This product	must be used, handled, and applied in accord- requirements of the equipment manufacturer's etins and other documentation. must not be used in applications other than those on 1 without first seeking the advice of the sup-

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitisation	:	Category 1
Specific target organ toxicity - repeated exposure	:	Category 2
Long-term (chronic) aquatic hazard	:	Category 3

GHS label elements

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

rsion .0	Revision Date: 07/09/2024	SDS Number: 800001016180	Print Date: 07/10/2024 Date of last issue: 03/15/2021
Hazar	d pictograms		
Signa	l word	: Warning	
Hazar	d statements	HEALTH HAZ H317 May cau H373 May cau peated exposi ENVIRONME	as a physical hazard under GHS criteria. ARDS: use an allergic skin reaction. use damage to organs through prolonged or re-
Preca	utionary statements	P273 Avoid re	preathe mist or vapours. lease to the environment. otective gloves/ protective clothing/ eye protection/ n.
		P333 + P313 attention.	IF ON SKIN: Wash with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/ lical advice/ attention if you feel unwell.
		Storage: No precautior	nary phrases.
		Disposal:	of contents/ container to an approved waste dis-

Contains N-phenyl-1-naphthylamine.

Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

High-pressure injection under the skin may cause serious damage including local necrosis.

Not classified as flammable but will burn.

The classification of this material is based on OSHA HCS 2012 criteria.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Synthetic oil grease thickened with clay, containing additives.

Hazardous components

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Version	Revision Date:	SDS Number:	Print Date: 07/10/2024
16.0	07/09/2024	800001016180	Date of last issue: 03/15/2021

Chemical name	Synonyms	CAS-No.	Concentration (% w/w)
Disodium sebacate	disodium seba- cate	17265-14-4	1 - 3
N-phenyl-1- naphthylamine	N-1- naphthylaniline	90-30-2	1 - 2.49
Phenothiazine	phenothiazine	92-84-2	0.1 - 0.9
Triazole derivative	1H- Benzotriazole- 1- methanamine, N,N-bis(2- ethylhexyl)-ar- methyl-	94270-86-7	0.1 - 0.9

SECTION 4. FIRST-AID MEASURES

If inhaled	:	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact		Remove contaminated clothing. Immediately flush skin with large amounts of water for at least 15 minutes, and follow by washing with soap and water if available. If redness, swelling, pain and/or blisters occur, transport to the nearest medical facility for additional treatment.
		When using high pressure equipment, injection of product under the skin can occur. If high pressure injuries occur, the casualty should be sent immediately to a hospital. Do not wait for symptoms to develop. Obtain medical attention even in the absence of apparent wounds.
In case of eye contact	:	Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention.
If swallowed	:	In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.
Most important symptoms and effects, both acute and delayed	:	Skin sensitisation (allergic skin reaction) signs and symptoms may include itching and/or a rash. Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea. Local necrosis is evidenced by delayed onset of pain and tissue damage a few hours following injection.
Protection of first-aiders	:	When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Version 16.0	Revision Date: 07/09/2024		9S Number: 0001016180	Print Date: 07/10/2024 Date of last issue: 03/15/2021
medic	tion of any immediate al attention and special nent needed	:	Treat symptomation	cally.
			vention and possil age and loss of fu Because entry wo ousness of the un determine the exte anaesthetics or ho can contribute to s surgical decompre eign material shou	ection injuries require prompt surgical inter- bly steroid therapy, to minimise tissue dam- nction. unds are small and do not reflect the seri- derlying damage, surgical exploration to ent of involvement may be necessary. Local ot soaks should be avoided because they swelling, vasospasm and ischaemia. Prompt ession, debridement and evacuation of for- uld be performed under general anaesthet- oration is essential.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon diox- ide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
Specific hazards during fire- fighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Avoid contact with skin and eyes.
Environmental precautions	:	Use appropriate containment to avoid environmental contami- nation. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
Methods and materials for	:	Shovel into a suitable clearly marked container for disposal or

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Versi 16.0	ion	Revision Date: 07/09/2024		0S Number: 0001016180	Print Date: 07/10/2024 Date of last issue: 03/15/2021		
	contain	ment and cleaning up		reclamation in acc	cordance with local regulations.		
	Additional advice		:	 For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet. For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet. 			
SEC	TION 7	. HANDLING AND ST	OR/	AGE			
	Technie	cal measures	:	vapours, mists or Use the information sessment of local	ventilation if there is risk of inhalation of aerosols. on in this data sheet as input to a risk as- circumstances to help determine appropri- fe handling, storage and disposal of this		
	Advice	on safe handling	:	Avoid inhaling vap When handling pr worn and proper h	oduct in drums, safety footwear should be handling equipment should be used. of any contaminated rags or cleaning mate-		
	Avoida	nce of contact	:	Strong oxidising a	gents.		
	Further age sta	information on stor- bility	:	place.	htly closed and in a cool, well-ventilated led and closable containers.		
				Store at ambient t	emperature.		
	Packag	jing material	:	Suitable material: steel or high dens Unsuitable materi			
1	Contair	ner Advice	:		ainers should not be exposed to high tem- e of possible risk of distortion.		

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Phenothiazine	92-84-2	TWA (Inhal- able particu- late matter)	0.5 mg/m3	ACGIH

Biological occupational exposure limits

No biological limit allocated.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Version	Revision Date:	SDS Number:	Print Date: 07/10/2024
16.0	07/09/2024	800001016180	Date of last issue: 03/15

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

last issue: 03/15/2021

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

Engineering measures	 The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.
	Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.
	 General Information: Define procedures for safe handling and maintenance of controls. Educate and train workers in the hazards and control measures relevant to normal activities associated with this product. Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation. Drain down system prior to equipment break-in or maintenance. Retain drain downs in sealed storage pending disposal or subsequent recycle. Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Version 16.0	Revision Date: 07/09/2024	SDS Number: 800001016180	Print Date: 07/10/2024 Date of last issue: 03/15/2021
			oduct's semi-solid consistency, generation of ts is unlikely to occur.
Perso	onal protective equip	oment	
Respi	iratory protection	conditions of u	protection is ordinarily required under normal use. with good industrial hygiene practices, precau- e taken to avoid breathing of material.
	protection emarks	gloves approv US: F739) ma suitable chem gloves Suitabi usage, e.g. fre sistance of glo glove supplier Personal hygi Gloves must o gloves, hands cation of a nor For continuou through time o 480 minutes v short-term/spl recognize that may not be av time maybe ac and replacem a good predic dependent on Glove thicknet	contact with the product may occur the use of red to relevant standards (e.g. Europe: EN374, de from the following materials may provide ical protection. PVC, neoprene or nitrile rubber lity and durability of a glove is dependent on equency and duration of contact, chemical re- ove material, dexterity. Always seek advice from s. Contaminated gloves should be replaced. ene is a key element of effective hand care. only be worn on clean hands. After using should be washed and dried thoroughly. Appli- n-perfumed moisturizer is recommended. s contact we recommend gloves with break- of more than 240 minutes with preference for > where suitable gloves can be identified. For ash protection we recommend the same but a suitable gloves offering this level of protection vallable and in this case a lower breakthrough cceptable so long as appropriate maintenance ent regimes are followed. Glove thickness is not tor of glove resistance to a chemical as it is the exact composition of the glove material. ss should be typically greater than 0.35 mm the glove make and model.
Eye p	protection	: Wear full face	shield if splashes are likely to occur.
Skin a	and body protection		al resistant gloves/gauntlets and boots. Where ng, also wear an apron.
Prote	ctive measures		ective equipment (PPE) should meet recom- nal standards. Check with PPE suppliers.
Therr	nal hazards	: Not applicable	

Environmental exposure controls

General advice	:	Take appropriate measures to fulfill the requirements of rele- vant environmental protection legislation. Avoid contamination of the environment by following advice given in Section 6. If necessary, prevent undissolved material from being dis- charged to waste water. Waste water should be treated in a municipal or industrial waste water treatment plant before
		•

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Versio 16.0	on	Revision Date: 07/09/2024		S Number: 0001016180	Print Date: 07/10/2024 Date of last issue: 03/15/2021
					ice water. on emission limits for volatile substances I for the discharge of exhaust air containing
SECT	TION 9	. PHYSICAL AND CHE	ΕΜΙΟ		3
Å	Appear	ance	:	Semi-solid at am	bient temperature.
(Colour		:	light brown	
(Odour		:	Slight hydrocarbo	on
(Odour	Threshold	:	Data not available	e
Ŗ	рH		:	Not applicable	
[Drop p	oint	:	>= 300 °C / >= 5 Method: ASTM D	
ſ	Melting	point/freezing point		Data not available	e
	Initial b range	oiling point and boiling	:	Data not availabl	e
F	Flash p	point	:	>= 215 °C / 419 °	ŶF
E	Evapor	ation rate	:	Data not available	e
F	Flamm Flar	ability nmability (solid, gas)	:	Not applicable	
	Flar	nmability (liquids)	:	Not classified as	flammable but will burn.
l	Upp	explosion limit and upp per explosion limit / up- flammability limit			nmability limit
		ver explosion limit / ver flammability limit	:	Typical 1 %(V)	
١	Vapour	pressure	:	< 0.5 Pa (20 °C /	68 °F)
				estimated value(s	5)
F	Relativ	e vapour density	:	> 1 estimated value(s	5)
F	Relativ	e density	:	0.966 (15 °C / 59	°F)
Γ	Density	/	:	989 kg/m3 (15.0 Method: Unspeci	
S	Solubili	ty(ies)			

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Vers 16.0		Revision Date: 07/09/2024		S Number: 001016180	Print Date: 07/10/2024 Date of last issue: 03/15/2021
	Wat	er solubility	:	negligible	
	Solu	bility in other solvents	:	Data not available	e
	Partition octanol	n coefficient: n- /water	:	log Pow: > 6 (based on inform	ation on similar products)
	Auto-ig	nition temperature	:	> 320 °C / 608 °F	
	Decom	position temperature	:	Data not available	e
	Viscosi Visc	ty osity, dynamic	:	Data not available	e
	Visc	osity, kinematic	:	Not applicable	
	Explosi	ve properties	:	Classification Co	de: Not classified
	Oxidizir	ng properties	:	Data not available	e
	Conduc	ctivity	:	This material is n	ot expected to be a static accumulator.
	Particle	size	:	Data not available	e

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.
Chemical stability	:	Stable.
Possibility of hazardous reac- tions	:	Reacts with strong oxidising agents.
Conditions to avoid	:	Extremes of temperature and direct sunlight.
Incompatible materials	:	Strong oxidising agents.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Basis for assessment	:	Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
		whole, father than for individual component(s).

Information on likely routes of exposure

Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

Acute toxicity

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Version 16.0	Revision Date: 07/09/2024	SDS Number: 800001016180	Print Date: 07/10/2024 Date of last issue: 03/15/2021
Produce Acute of	<u>ct:</u> oral toxicity	: LD50 (rat): > 5,00 Remarks: Low to Based on availab	
Acute i	nhalation toxicity	: Remarks: Based are not met.	on available data, the classification criteria
Acute	dermal toxicity	: LD50 (Rabbit): > Remarks: Low to: Based on availab	

Skin corrosion/irritation

Product:

Remarks: Slightly irritating to skin., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Product:

Remarks: Expected to be a skin sensitizer.

Components:

N-phenyl-1-naphthylamine:

Remarks: May cause an allergic skin reaction in sensitive individuals.

Remarks: Classified Skin Sensitiser Category 1B.

Phenothiazine:

Remarks: May cause an allergic skin reaction in sensitive individuals.

Remarks: Classified Skin Sensitiser Category 1B.

Triazole derivative:

Remarks: May cause an allergic skin reaction in sensitive individuals.

Remarks: Classified Skin Sensitiser Category 1B.

Germ cell mutagenicity

Product:

Genotoxicity in vivo

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Version	Revision Date:	SDS Number:	Print Date: 07/10/2024
16.0	07/09/2024	800001016180	Date of last issue: 03/15/2021

Carcinogenicity

Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Product:

Effects on fertility

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.

STOT - single exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

Remarks: May cause damage to organs or organ systems through prolonged or repeated exposure.

Aspiration toxicity

Product:

Not an aspiration hazard.

Further information

Product:

Remarks: Used grease may contain harmful impurities that have accumulated during use. The concentration of such harmful impurities will depend on use and they may present risks to health and the environment on disposal., ALL used grease should be handled with caution and skin

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Version	Revision Date:	SDS Number:	Print Date: 07/10/2024
16.0	07/09/2024	800001016180	Date of last issue: 03/15/2021

contact avoided as far as possible.

Remarks: High pressure injection of product into the skin may lead to local necrosis if the product is not surgically removed.

Remarks: Slightly irritating to respiratory system.

SECTION 12. ECOLOGICAL INFORMATION

Basis for assessment	:	Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representa- tive of the product as a whole, rather than for individual com- ponent(s).
Ecotoxicity		
Product: Toxicity to fish (Acute toxici- ty)	:	Remarks: LL/EL/IL50 10-100 mg/l Harmful
Toxicity to daphnia and other aquatic invertebrates (Acute toxicity)	:	Remarks: LL/EL/IL50 10-100 mg/l Harmful
Toxicity to algae (Acute tox- icity)	:	Remarks: LL/EL/IL50 10-100 mg/l Harmful
Toxicity to fish (Chronic tox- icity)	:	Remarks: Data not available
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	Remarks: Data not available
Toxicity to microorganisms (Acute toxicity)	:	Remarks: Data not available
Components:		
N-phenyl-1-naphthylamine: M-Factor (Acute aquatic tox- icity)	:	1
M-Factor (Chronic aquatic toxicity)	:	1

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

rsion 0	Revision Date: 07/09/2024		S Number: 001016180	Print Date: 07/10/2024 Date of last issue: 03/15/2021
Phen	othiazine:			
M-Fa icity)	ctor (Acute aquatic tox-	:	1	
Triaz	ole derivative:			
M-Fao icity)	ctor (Acute aquatic tox-	:	1	
M-Fa toxicit	ctor (Chronic aquatic ty)	:	1	
Persi	stence and degradabil	ity		
Prod	uct:			
Biode	gradability	I	Major constituen	adily biodegradable. ts are inherently biodegradable, but conta may persist in the environment.
Bioad	ccumulative potential			
Prod	uct:			
Bioac	cumulation		Remarks: Conta cumulate.	ns components with the potential to bioac
Mobi	lity in soil			
Prod	uct:			
Mobility		I		solid under most environmental conditions will adsorb to soil particles and will not be
		l	Remarks: Floats	on water.
Othe	r adverse effects			
Prod	uct:			
Additi matio	onal ecological infor- n	(ozone creation p Product is a mixt	zone depletion potential, photochemical otential or global warming potential. ure of non-volatile components, which will r in any significant quantities under norma
			Poorly soluble m Causes physical	ixture. fouling of aquatic organisms.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Recover or recycle if possible. It is the responsibility of the waste generator to determine the

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Version 16.0	Revision Date: 07/09/2024	SDS Number: 800001016180	Print Date: 07/10/2024 Date of last issue: 03/15/2021
		determine the pro ods in compliance	cal properties of the material generated to oper waste classification and disposal meth- e with applicable regulations. to the environment, in drains or in water
		ground water, or Waste, spills or u Waste arising fro posed of in accor to a recognised of collector or contra Do not dispose o	nould not be allowed to contaminate soil or be disposed of into the environment. sed product is dangerous waste. m a spillage or tank cleaning should be dis- dance with prevailing regulations, preferably ollector or contractor. The competence of the actor should be established beforehand. f tank water bottoms by allowing them to und. This will result in soil and groundwater
		Pollution from Sh	nternational Convention for the Prevention of ips (MARPOL 73/78) which provides tech- controlling pollutions from ships.
Contai	minated packaging	to a recognized of the collector or conditional data and the collector of the Disposal should be a should be should be a should be a should be a should be a should be should	dance with prevailing regulations, preferably ollector or contractor. The competence of ontractor should be established beforehand. be in accordance with applicable regional, al laws and regulations.
Local Remai	legislation ˈks	•	be in accordance with applicable regional, al laws and regulations.

SECTION 14. TRANSPORT INFORMATION

National Regulations

US Department of Transportation Classification (49 CFR Parts 171-180)

Not regulated as a dangerous good

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Maritime transport in bulk according to IMO instruments

MARPOL Annex 1 rules apply for bulk shipments by sea.

Special precautions for user

Remarks

: Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Version	Revision Date:	SDS Number:
16.0	07/09/2024	800001016180

Print Date: 07/10/2024 Date of last issue: 03/15/2021

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Phosphoric acid	7664-38-2	5000	*
aniline	62-53-3	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Respiratory or skin sensitisation Specific target organ toxicity (single or repeated exposure)
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Water Act

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Phosphoric acid	7664-38-2	0.0425 %
aniline	62-53-3	0.0029 %

US State Regulations

Pennsylvania Right To Know

Phosphoric acid

7664-38-2

California Prop. 65

WARNING: This product can expose you to chemicals including aniline, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

TSCA :		All components listed.
--------	--	------------------------

DSL : All components listed.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Version	Revision Date:	SDS Number:
16.0	07/09/2024	800001016180

Print Date: 07/10/2024 Date of last issue: 03/15/2021

SECTION 16. OTHER INFORMATION

Further information

NFPA Rating (Health, Fire, Reac- 1, 1, 0 tivity)

Full text of other abbreviations

ACGIH ACGIH / TWA Abbreviations and Acronyms	:	USA. ACGIH Threshold Limit Values (TLV) 8-hour, time-weighted average The standard abbreviations and acronyms used in this docu- ment can be looked up in reference literature (e.g. scientific dictionaries) and/or websites.
		ACGIH = American Conference of Governmental Industrial Hygienists ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road AICS = Australian Inventory of Chemical Substances ASTM = American Society for Testing and Materials BEL = Biological exposure limits BTEX = Benzene, Toluene, Ethylbenzene, Xylenes CAS = Chemical Abstracts Service CEFIC = European Chemical Industry Council CLP = Classification Packaging and Labelling COC = Cleveland Open-Cup DIN = Deutsches Institut fur Normung DMEL = Derived Minimal Effect Level DNL = Derived No Effect Level DSL = Canada Domestic Substance List EC = European Commission EC50 = Effective Concentration fifty ECETOC = European Chemicals Agency EINECS = The European Inventory of Existing Commercial Chemical Substances EL50 = Effective Loading fifty ENCS = Japanese Existing and New Chemical Substances Inventory EWC = European Waste Code GHS = Globally Harmonised System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer IATA = International Agency for R

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

_

Version	Revision Date:	SDS Number:	Print Date: 07/10/2024
16.0	07/09/2024	800001016180	Date of last issue: 03/15/2021
		LL50 = Lethal Loa MARPOL = Intern Pollution From Sh NOEC/NOEL = N served Effect Leve OE_HPV = Occup PBT = Persistent, PICCS = Philippin Substances PNEC = Predicted REACH = Registr Chemicals RID = Regulations gerous Goods by SKIN_DES = Skir STEL = Short tern TRA = Targeted F TSCA = US Toxic TWA = Time-Weig	se fifty per cent. Loading/Effective Loading/Inhibitory loading uding fifty ational Convention for the Prevention of ips o Observed Effect Concentration / No Ob- el pational Exposure - High Production Volume Bioaccumulative and Toxic re Inventory of Chemicals and Chemical d No Effect Concentration ation Evaluation And Authorisation Of s Relating to International Carriage of Dan- Rail Designation n exposure limit Risk Assessment Substances Control Act

A vertical bar (|) in the left margin indicates an amendment from the previous version.

Sources of key data used to compile the Safety Data Sheet	:	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).
Revision Date	:	07/09/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guid-

mation and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN