



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 11/10/2015 Revision date: 2/29/2024 Supersedes: 11/7/2022 Version: 5.0

SECTION 1: Identification

1.1. Identification

Product form

Mixture

Trade name

NYCO GREASE GN 3058

Product code

: GN3058-1

1.2. Recommended use and restrictions on use

Use of the substance/mixture

: Industrial use

1.3. Supplier

NYCO America LLC, a subsidiary of NYCO 87 Amlajack Way Newnan, GA 30265 USA

1 +1 877 872 6926

info@nyco-group.com - www.nyco-group.com

1.4. Emergency telephone number

Emergency number

: USA, CANADA

Chemtrec

1-800-424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin Sens. 1

H317

May cause an allergic skin reaction.

Repr. 2

H361

Suspected of damaging fertility or the unborn child.

1/9

Full text of hazard classes and H-statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labelling

Hazard pictograms (GHS US)



Signal word (GHS US)

: Warning

Hazard statements (GHS US)

: H317 - May cause an allergic skin reaction.

H361 - Suspected of damaging fertility or the unborn child.

Precautionary statements (GHS US)

: P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing vapours.

P272 - Contaminated work clothing must not be allowed out of the workplace.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P405 - Store locked up.

2.3. Other hazards which do not result in classification

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Dilithium azelate	CAS-No.: 38900-29-7	0 – 5
methylenebis(dibutyldithiocarbamate)	CAS-No.: 10254-57-6	0 – 5
Calcium Carbonate	CAS-No.: 1317-65-3	0 – 5
Naphthenic acids, zinc salts, basic	CAS-No.: 84418-50-8	0 - 5
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	CAS-No.: 68411-46-1	0 – 2

Full text of hazard classes and H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : To our knowledge, this product does not present any particular risk, provided it is handled in

accordance with good occupational hygiene and safety practice.

First-aid measures after inhalation : To our knowledge, the product does not present any particular risk, under normal conditions of

us

First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. Seek medical advice (show the label where

possible).

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Seek medical advice (show the label where possible).

First-aid measures after ingestion : IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Seek medical advice (show the label

where possible).

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : To our knowledge, the product does not present any particular risk, under normal conditions of

Symptoms/effects after skin contact :

: Repeated exposure may cause skin dryness or cracking. irritation (itching, redness, blistering).

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : Possible irritation of mucous membranes and digestive tract, nausea, vomiting.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Foam. Dry powder. Carbon dioxide.

Unsuitable extinguishing media : Strong water jet.

2/29/2024 (Revision date) EN (English) 2/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Specific hazards arising from the chemical

Fire hazard : On burning: release of harmful/irritant gases/vapours. Carbon oxides (CO, CO2).

5.3. Special protective equipment and precautions for fire-fighters

Precautionary measures fire : Protective equipment.

SECTION 6: Accidental release measures

8.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

General measures

Protective equipment : see section(s):7 & 8.

Emergency procedures : Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel).

: Avoid spilling the product, as this might cause falls.

6.1.2. For emergency responders

Protective equipment : see section(s):7 & 8.

Emergency procedures : For a large spillage, contain the spillage by bunding. Soak up with inert absorbent material (for

example sand, sawdust, a universal binder, silica gel).

6.2. Environmental precautions

No additional information available

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel)

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Stable at ambient temperature and under normal conditions of use.

Precautions for safe handling

Hygiene measures

: Wear suitable protective clothing. Personal protective equipment. When using do not eat, drink or smoke. Always wash your hands immediately after handling this product, and once again before leaving the workplace. Avoid spilling the product, as this might cause falls. Provide local

and once again before leaving the workplace. Wash contaminated clothing before reuse.

exhaust or general room ventilation.

When using do not eat or drink. Always wash your hands immediately after handling this product,

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry, cool, well-ventilated area.

Special rules on packaging : Store in original container. Keep container closed when not in use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2/29/2024 (Revision date) EN (English) 3/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Calcium Carbonate (1317-65-3)	
USA - OSHA - Occupational Exposure Lim	
Local name	Calcium Carbonate (Limestone; Marble)
OSHA PEL TWA	15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction)
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2. Appropriate engineering controls

Environmental exposure controls

: Do not flush into surface water or sewer system.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

Hand protection:

Chemical resistant gloves (according to European standard NF ISO 374-1 or equivalent)

Eye protection:

Safety glasses with side shields

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

No personal breathing protective equipment is normally required

Personal protective equipment symbol(s):







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Pasty.
Colour
Codour
Codour
Codour
Codour threshold
pH
: Liquid
No data
Slightly amber
No data available
No data available
No data available

Melting point : 275 °C Freezing point : No data available

Boiling point : No data available
Flash point : No data available
Relative evaporation rate (butylacetate=1) : No data available
Flammability (solid, gas) : No data available

Flammability (solid, gas) : No data available
Vapour pressure : No data available
Relative vapour density at 20°C : No data available

Relative density

Consisty

Relative density

Consisty

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Solubility

Partition coefficient n-octanol/water (Log Pow)

Auto-ignition temperature Decomposition temperature Viscosity, kinematic Viscosity, dynamic

Explosive limits
Explosive properties
Oxidising properties

: Material insoluble in water.

No data available

No data available No data available

Not applicableNo data available

: No data available

No data availableNo data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at ambient temperature and under normal conditions of use.

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

elevated temperature.

10.5, Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature.

SECTION 11: Toxicological information

14.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

Dilithium azelate (38900-29-7)	
LD50 oral rat	300 – 2000 mg/kg OECD 420
ATE US (oral)	300 mg/kg bodyweight
methylenebis(dibutyldithiocark	pamate) (10254-57-6)
LD50 cral rat	16000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
ATE US (oral)	16000 mg/kg bodyweight

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Calcium Carbonate (1317-65-3)		
LD50 oral rat	> 5000 mg/kg	
Naphthenic acids, zinc salts, basic (8	4418-50-8)	
LD50 oral rat	> 2000 mg/kg OECD 423	
LD50 dermal rabbit	> 2000 mg/kg OECD 402	
LC50 Inhalation - Rat (Dust/Mist)	> 0.42 mg/l/4h OECD 403	
Benzenamine, N-phenyl-, reaction pr	oducts with 2,4,4-trimethylpentene (68411-46-1)	
LD50 oral rat	> 5000 mg/kg OECD 401	
LD50 dermal rat	> 2000 mg/kg OECD 402	
Skin corrosion/irritation	: Not classified pH: Not applicable.	
Benzenamine, N-phenyl-, reaction pr	oducts with 2,4,4-trimethylpentene (68411-46-1)	
рН	5.1 – 6.2	
Serious eye damage/irritation	: Not classified pH: Not applicable.	
Benzenamine, N-phenyl-, reaction pr	oducts with 2,4,4-trimethylpentene (68411-46-1)	
рН	5.1 – 6.2	
Respiratory or skin sensitisation	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Viscosity, kinematic	: Not applicable	
Benzenamine, N-phenyl-, reaction pr	oducts with 2,4,4-trimethylpentene (68411-46-1)	
Viscosity, kinematic	352.7 mm²/s @40°C	
Symptoms/effects after inhalation	: To our knowledge, the product does not present any particular risk, under normal conditions of use.	
Symptoms/effects after skin contact	: Repeated exposure may cause skin dryness or cracking. irritation (itching, redness, blistering)	
Symptoms/effects after eye contact	: Eye irritation.	
Symptoms/effects after ingestion	: Possible irritation of mucous membranes and digestive tract, nausea, vomiting.	

SECTION 12: Ecological information

12.1. Toxicity

methylenebis(dibutyldithiocarba	nate) (10254-57-6)
LC50 - Fish [1]	> 0.06 mg/l 96h:Oncorynchus mykiss (OECD 203)
EC50 - Crustacea [1]	> 0.052 mg/l 48h:Daphnia magna (OECD 202)
EC50 72h - Algae [1]	> 0.0325 mg/l 72h:Desmodesmus subspicatus
NOEC (acute)	0.06 mg/l Fish
NOEC chronic crustacea	≥ 0.247 mg/l 21d:Daphnia magna

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Calcium Carbonate (1317-65-3)	
LC50 - Fish [1]	> 10000 mg/l 96h:Oncorhynchus mykiss
EC50 - Crustacea [1]	> 1000 mg/l 48h:Daphnia magna
EC50 72h - Algae [1]	> 200 mg/l 72h:Desmodesmus subspicatus
Naph(henic acids, zinc salts, bas	sic (84418-50-8)
LC50 - Fish [1]	> 100 mg/l 96h : Danio rerio
EC50 - Crustacea [1]	> 100 mg/l 48h : Daphnia Magna
ErC50 algae	3.6 mg/l 72h; Pseudokirchneriella subcapitata
Benzenamine, N-phenyl-, reaction	n products with 2,4,4-trimethylpentene (68411-46-1)
LC50 - Fish [1]	> 100 mg/l 96h: Brachydanio rério (OCDE 203)
EC50 - Crustacea [1]	51 mg/l 48h: Daphnia magna (OCDE 202)
ErC50 algae	> 100 mg/l Desmosdesmus subspicatus (OECD 201)
NOEC chronic algae	≥ 10 mg/l Pseudokirchneriella subcapitata (OECD 201)

12.2. Persistence and degradability

NYCO GREASE GN 3058	
Persistence and degradability	Not established.
methylenebis(dibutyldithiocarbama	te) (10254-57-6)
Persistence and degradability	Not readily biodegradable.
Biodegradation	21 % (OECD 301 B)
Naphthenic acids, zinc salts, basic	(84418-50-8)
Persistence and degradability	Inherently biodegradable.
Benzenamine, N-phenyl-, reaction p	products with 2,4,4-trimethylpentene (68411-46-1)
Persistence and degradability	Not readily biodegradable.
Biodegradation	1 % (OECD 301B)

12.3. Bioaccumulative potential

methylenebis(dibutyldithiocarbamate) (102	254-57-6)
Bioconcentration factor (BCF REACH)	10.86
Partition coefficient n-octanol/water (Log Pow)	8.42
Bioaccumulative potential	faint.
Benzenamine, N-phenyl-, reaction product	s with 2,4,4-trimethylpentene (68411-46-1)
Bioconcentration factor (BCF REACH)	1730 42d; Cyprinus carpio
Partition coefficient n-octanol/water (Log Kow)	> 5 @25°C
Bioaccumulative potential	Potentially bioaccumulable.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

Naphthenic acids, zinc salts, basic (84418-50-8)

Organic Carbon Normalized Adsorption Coefficient (Log Koc)

2.02 - 6.59

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods

: Collect all waste in suitable and labelled containers and dispose according to local legislation.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

TDG	IMDG	IATA
A CONTRACTOR OF THE CONTRACTOR		and the second s
Not regulated	Not regulated	Not regulated
Not regulated	Not regulated	Not regulated
AAATT		
Not regulated	Not regulated	Not regulated
Not regulated	Not regulated	Not regulated
	Not regulated Not regulated Not regulated	Not regulated Not regulated Not regulated Not regulated Not regulated Not regulated

14.6. Special precautions for user

DOT

Not regulated

TDG

Not regulated

IMDG

Not regulated

IATA

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

NYCO GREASE GN 3058	
SARA Section 311/312 Hazard Classes	Health hazard - Respiratory or skin sensitization
	Health hazard - Reproductive toxicity

15.2. International regulations

NYCO GREASE GN 145

All chemical substances in this product are listed in the EPA (Environment Protection Agency) TSCA (Toxic Substances Control Act) Inventory

15.3. US State regulations

Component	State or local regulations
Calcium Carbonate(1317-65-3)	U.S Pennsylvania - RTK (Right to Know) List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Massachusetts - Right To Know List
diphenylamine(122-39-4)	U.S New Jersey - Right to Know Hazardous Substance List; U.S New York - RTK List of Hazardous Substances; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 2/29/2024

Full text of H-statements	
Repr. 2	Reproductive toxicity, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H317	May cause an allergic skin reaction.
H361	Suspected of damaging fertility or the unborn child.

Safety Data Sheet (SDS), USA

fliss information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

2/29/2024 (Revision date) EN (English) 9/9