

REFUELING PUMPS – HARTZELL FUEL PUMPS

PUMPS



These aviation pumps are only intended to be groundbased or vehicle mounted. Do not use or mount in or on the aircraft. For use with aviation gasoline (AVGAS 100LL) and kerosene grade (JET A). User should consult NFPA 407 Standard for aircraft fuel servicing for safety requirements during ground fuel servicing of aircraft using liquid petroleum fuels. This product has no actual or implied compliance with this standard. Manufacturer warranty is 2 years.

PUMP MODELS THAT MAY BE USED IN AVIATION REFUELING (PO/PX MODELS) ARE NOT SUPPLIED WITH APPROPRIATE HOSE, NOZZLE, AND SUCTION PIPE. THESE ITEMS MUST MEET NFPA 407 GUIDELINES. For ground-based refueling only. Do not use in or on the aircraft. For use with aviation gasoline (AVGAS 100LL) and kerosene grade (Jet A). User should consult NFPA 407 Standard for Aircraft Fuel Servicing for safety requirements during ground fuel servicing of aircraft using liquid petroleum fuels. This product has no actual or implied compliance with this standard.



M-150S-PO



V25-012PO



PRO20-115PO



PRO35-115PO

PUMPS

| Model No. | Volt | Flow Range | Description | Part No. | Price |
|-----------------|---|------------------|-----------------------------|----------|-------|
| M-150S-PO | 12-Volt | 15 GPM / 57 LPM | GPI Aviation Refueling Pump | 08-07463 | --- |
| V25-012PO | 12-Volt | 25 GPM / 95 LPM | GPI Aviation Refueling Pump | 08-07464 | --- |
| PRO20-115PO | 115-Volt | 20 GPM / 76 LPM | GPI Aviation Refueling Pump | 08-07434 | --- |
| PRO35-115PO | 115-Volt | 35 GPM / 132 LPM | GPI Aviation Refueling Pump | 08-07466 | --- |
| Use With | For use with gasoline blends (up to E15), diesel fuel blends (up to B20), kerosene. Aviation gasoline (AVGAS 100LL) and kerosene grade (Jet A). | | | | |

EP



METERS

| Model No. | Flow Range | Description | Part No. | Price |
|-----------------|---|------------------------------|----------|-------|
| QM40-G8N | 2-40 GPM (Gallon) | GPI Aviation Refueling Meter | 08-17435 | --- |
| QM40-L8N | 8-150 LPM (Liters) | GPI Aviation Refueling Meter | 08-07468 | --- |
| Use With | For use with gasoline blends (up to E15), diesel fuel blends (up to B20), kerosene. Aviation gasoline (AVGAS 100LL) and kerosene grade (Jet A). | | | |



COMBOS

| Model No. | Description | Part No. | Price |
|----------------------|--|----------|-------|
| PRO20-115PO/QM40G8N | Combo Pump / Meter - Calibrated in Gallons | 08-07436 | --- |
| PRO35-115PO/QM40G8N | Combo Pump / Meter - Calibrated in Gallons | 08-07471 | --- |
| PRO20-115PO/ QM40LBN | Combo Pump / Meter - Calibrated in Liters | 08-07437 | --- |
| PRO35-115PO/ QM40LBN | Combo Pump / Meter - Calibrated in Liters | 08-07438 | --- |

HARTZELL FUEL PUMPS

FAA/PMA Approved **202F** series Fuel Pumps for Lycoming Engines from Hartzell Engine Technologies. HET **202F** series are a direct replacement for the Crane/Lear Romec RG9570 series engine driven fuel pumps. Applicable for use on a wide variety of Lycoming engines. The 202F series fuel pumps include two part numbers covering specific installations:

| Description | Lear/romec Replacement | Lycoming Replacement | Beech Replacement | Part No. | Price |
|-------------|------------------------|----------------------|-------------------|----------|------------------|
| 202F-1001 | RG9570k1, RG9570k1/M | 62E22586 | Beech 50-389141-1 | 07-03534 | \$2975.00 |
| 202F-1002 | RG9570p1, RG9570p1/M | 62E22585, LW-19012 | -- | 07-03537 | \$2975.00 |

HARTZELL ENGINE TECH NEW FUEL PUMP 201F

The OEM pump on fuel injected Lycoming engines with high flow and pressure requirements. The **201F** series are also available as FAA-PMA approved replacements for the Lear Romec RG17980 series of fuel pumps.

Medium capacity engine driven positive displacement fuel pump Carbon vanes for improved wear characteristics. Tightly toleranced for improved pump performance and low pressure fluctuation.

| Description | Lear/romec Replacement | Lycoming Replacement | Part No. | Price |
|-------------|------------------------|----------------------|----------|-------|
| 201F-5001 | RG17980/M | 62D22565 | 07-01751 | --- |
| 201F-5003 | RG17980D/M | 62D22567 | 07-01753 | --- |
| 201F-5005 | RG17980J/M | 62D22569 | 07-01755 | --- |
| 201F-5006 | RG17980K/M | 62D22570 | 07-01756 | --- |
| 201F-5007 | RG17980P/M | 62D22572 | 07-01757 | --- |
| 201F-5008 | RG17980U/M | 62D22573 | 07-01758 | --- |

HARTZELL ENGINE TECH NEW FUEL PUMP 200F

The OEM pump on fuel injected Lycoming engines with high flow and pressure requirements. The **200F** series are also available as FAA-PMA approved replacements for the Lear Romec RG9080 series of fuel pumps.

High capacity engine driven positive displacement fuel pump Carbon vanes for improved wear characteristics. Tightly toleranced for improved pump performance and low pressure fluctuation.

| Description | Lear/romec Replacement | Lycoming Replacement | Part No. | Price |
|-------------|------------------------|----------------------|----------|-------|
| 200F-5001 | RG9080F2/M | 62E22580 | 07-01746 | --- |
| 200F-5002 | RG9080J4A/M | 62E22581 | 07-01747 | --- |
| 200F-5003 | RG9080J6A/M | 62E22582 | 07-01748 | --- |
| 200F-5004 | RG9080J7A/M | 62E22583 | 07-01749 | --- |
| 200F-5005 | RG9080J8A/M | 62E22584 | 07-01750 | --- |

